REQUEST FOR QUOTATION (THIS IS NOT AN ORDER)



1. Request #: DCS Exterior Steel Painting FY20-S-001	2. Date Issued June 25, 2019
3. Issued By Des Moines Area Regional Transit Authority (DART)	4. Deliver to: Dan Clark 1100 DART Way dclark@ridedart.com
5a. For Information Contact: Dan Clark	5b. Phone and Email: 515-283-8116 / dclark@ridedart.com

6. Please furnish quotations to the issuing office in block 4 on or before close of business day (Date):

July 12, 2019

There will not be a Pre-bid meeting for this project. Interested proposers are invited to arrange an on-site visit with Pat Halsey, DART Central Station Building Supervisor. See below for contact information.

IMPORTANT: This request does not commit DART to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or service. Any representations and/or certifications attached to this Request for Quotation must be completed by the quoter. Before making an award, DART reserves the right to request additional information and/or seek clarification from any bidder regarding any submitted statement/bid/offer that DART finds to be ambiguous.

7. SCOPE OF WORK

General:

The Des Moines Area Regional Transit Authority (DART) is seeking a contractor to provide surface preparation and maintenance coating (re-painting) of various exterior steel components (columns, cross beams, canopy ceilings, canopy supports, benches etc.) located at its 620 Cherry Street transit hub facility. Contractor should have capacity to comply with industry standards as published by the SSPC and NACE International.

As an independent contractor, Contractor shall, at its sole cost and expense, provide all labor, materials, equipment (including lifts), tools, supplies and incidentals necessary to perform this Contract in the manner and to the full extent as set forth in the Contract Documents.

Contractor is strongly encouraged to visit the site of work before submitting a quotation for this project. No revision of scope or contract price will be considered by DART for any item which could have been revealed by a thorough on-site inspection and examination. If you want to schedule walk-through, please contact Pat Halsey. Mr. Halsey's phone number is (515) 283-8112 and his email is phalsey@ridedart.com.

Specifications:

It is DART's intention that all surface preparation, coating and painting of the steel surfaces described below shall conform to the applicable requirements of the Steel Structures Painting Council, NACE International and the manufacturer's printed instructions. The most stringent method shall be applicable if any conflict should arise.

Quality Assurance:

- a) **General –** Quality assurance practices are required to be utilized/monitored throughout all phases of the project. Those not specified below, but meeting recognized and area accepted practices may be utilized with the approval of the DART project manager.
- b) **Surface Preparation –** will be based on comparison with SSPC-Vis-3, "Guide and Reference Photographs for Steel Surfaces Prepared by Power and Hand Tool Cleaning"
- c) **Application -** No coating or paint shall be applied: When the surrounding air temperature or the temperature of the surface to be coated is below the minimum required temperature for the specified product; to wet or damp surfaces, or in rain, snow, fog or mist; when the temperature is less than 5 degrees F above the dew point; when the air temperature is expected to drop below 40 degrees F.; within six hours after application of coating.
- d) **Thickness Testing -** Thickness of coatings and paint shall be checked with a non-destructive, magnetic Type 1 or Type 2 Dry Film Thickness Gauge according to SSPC-PA2.
- e) Phase acceptance The DART project manager will inspect and approve surfaces at the following points:
 - a. At completion of surface prep
 - b. At completion of any substrate repairs
 - c. At completion of primer application
 - d. At completion of coatings application

Products:

This specification lists specific products manufactured by Sherwin Williams Company. Materials specified herein are cited for information of the Contractor. DART will provide the coating system products specified herein.

Coating System:

- a) <u>Primer:</u> Contractor is to apply to prepared surfaces a primer appropriate for and compatible with the project specifications. See manufacturer recommendations referenced on attached product data sheet for Sherwin Williams Pro Industrial DTM Acrylic Coating B66W01151. Contractor will submit primer selection for approval with their bid price.
- a) Paint: Sherwin Williams Pro Industrial DTM Acrylic Coating B66W01151 650827181 Extra White
 - 1. Sheen is to be semi-gloss
 - 2. Color is to be "DART WHITE DTM" -- (custom manual match)
- b) All materials specified herein shall be delivered by DART to Contractor in manufacturer's sealed containers, with original labels intact defining the contents therein.

<u>Surface Preparation (general):</u>

- a) The latest revision of the following surface preparation specifications of the Steel Structures Painting Council shall form a part of this specification:
 - 1. SSPC-SP1 Solvent Cleaning
 - 2. SSPC-SP2 Hand Tool Cleaning
 - 3. SSPC-SP3 Power Tool Cleaning
 - 4. SSPC-SP11 Power Tool Cleaning to Bare Metal
 - *Any level of pressure washing will need to be pre-approved by DART on an area-by-area basis.*
 No blast cleaning of any type will be permitted
- b) The contractor shall keep the area of his work and the surrounding environment in a clean condition. He shall not allow work performed to be a nuisance or hazard to the accomplishment of the work, or the operation of the existing facilities.
- c) After completion of surface preparation as specified for the specific system, materials shall be applied in accordance with manufacturer's recommendations. However, no spray application of any type will be permitted regardless of manufacturer recommendation.

Examination of work area and project surfaces prior to application:

- a) Contractor will examine areas and conditions under which application of coating systems shall be performed for conditions that adversely affect execution, permanence, or quality of coating system application.
- b) Contractor will, with the approval of DART, correct conditions detrimental to timely and proper execution of the work.
- c) Contractor will NOT proceed until unsatisfactory conditions have been corrected
- d) Commencement of installation constitutes acceptance of conditions and responsibility for satisfactory performance.

Application:

- a) All rusted, abraded and exposed steel shall be Power Tool Cleaned to Bare Metal in accordance with SSPC-SP11. All loose paint shall be removed with the same power tools, but remaining, intact primers may be left in place. Feather all edges.
- b) Prime Coat: Hand paint or roll one coat of approved primer to all bare steel surfaces. This coating shall be applied at a dry film thickness of 2.0 to 4.0 mils.
- c) <u>Finish Coat:</u> Hand paint or roll one complete coat of Sherwin Williams Pro Industrial DTM Acrylic Coating B66W01151 (see specification under "coating system" section above). This coating shall be applied at a dry film thickness of 2.5 to 4.0 mils. Color shall be DART WHITE DTM, sheen is to be semi-gloss.
- d) Paint is to be applied with brushes or rollers only no spray application of any type will be permitted regardless of manufacturer recommendation.

Warranty:

a) Contractor will warrant the work free of defects in material and workmanship for a period of one (1) year from DART acceptance of the work.

General Contractor Responsibilities/Safety:

- a) Obtain, at their own expense, any and all permits and inspections necessary to complete all work contained in the specifications.
- b) All work will comply with Federal, State and local codes and regulations (e.g. OSHA)
- c) Adhere to DART safety requirements/protocols (PPE and high visibility clothing is to be worn at all times while on DART property)
- d) The Contractor shall be responsible for implementing, maintaining and supervising all necessary safety precautions which will insure against injury to persons or damage to property as a result of any of his work, tools or equipment on or off the project, before, during or after normal working hours. No drawing review, construction review or any other act or

- services rendered by the owner, engineer, their employees or consultants shall be construed to approve or judge upon the adequacy of the contractor's safety measures.
- e) Protect elements surrounding work from damage or disfiguration
- f) As work proceeds, promptly remove spilled, splashed, or splattered materials from surfaces. Leave storage area neat and clean at all times.
- g) Remove, at contractor's own expense, all debris related to the project
- h) Repair or replace, at contractor's own expense, any damage to DART property by contractor's employees. Contractor responsibility for replacement will be the total replacement value (replacement cost coverage) of any damaged DART property (including, but not limited to cameras, display screens, glass, trash receptacles, card readers)

Project Site:

This work will take place on the platform area of DART Central Station located at 620 Cherry Street, Des Moines, Iowa 50309.

- a) Platforms C and D: columns, cross beams, canopy ceilings, canopy supports, etc. complete coverage
- b) All other areas spot coverage, as needed.

See Exhibit A Project Site Photos and Notes for more detailed information.

Work Hours:

DART desires to minimize disruption to passenger services during this project. To accomplish this, the following work hours have been established for this project:

Week day: 7:00 p.m. to 4:00 a.m.

Weekend: All day/night

Submittals:

- 1. Pricing Sheet
- 2. Completed Bid Forms (this document)
- 3. Estimated Project Schedule (weather conditions permitting)
- 4. Certificate of Insurance (successful bidder will submit before project start)

Basis of Award:

Low firm, fixed price

DART reserves the right to award all or portions of the project sections (see pricing sheet)

The entire contents of this solicitation; Addendums, Schedule of Prices, Specifications, Plans and Drawings, Supplemental Terms and Conditions, Standard Terms and Conditions shall become part of the contract or purchase order. Emailed responses will be accepted.

Exhibits:

Exhibit A: Project Site

Exhibit B: Davis – Bacon Wage Determination

Exhibit C: Price Sheet

NOTE:	Additional	l Provisions ar	nd represen	tations:	Are_X	Are N	ot at	tached.
-------	------------	-----------------	-------------	----------	-------	-------	-------	---------

8. Project Information (See appropriate clauses attached) — BIDDER REQUIRED TO COMPLETE NON-SHADED BOXES

Davis Bacon compliance required? Yes ☑ No □ *For repairs portion of contract only*	If "yes", does vendor agree to submit to DART certified payrolls and comply with all other stipulations of the federal Davis Bacon Act? **If Contractor is Not Familiar with Davis Bacon, PLEASE BECOME SO BEFORE BIDDING**	Yes □ No □	Authorized Vendor Representative Signature:
Will subs be used for this project? Yes □ No □	If "yes", please submit all subs potentially involved with this project, noting: 1. Subcontractor's willingness/ability to comply with Davis Bacon requirements (if applicable)		Contractor is solely responsible for ensuring that all Subcontractors comply with the terms and conditions of this Contract as applicable to the work to be performed by the Subcontractor. At a minimum, Contractor shall bind any and


	2. The type of work the subcontractor will be responsible for 3. The bid price of subcontractor's work for this project (if actual price changes upon award, prime must notify DART)	all Subcontractors to the confidentiality, indemnification, insurance, and dispute resolution provisions and third-party contracting requirements provided hereunder. (see relevant clauses below)
Is either the prime or sub(s) listed on this quote a certified Disadvantaged Business Entity (DBE)? Yes No	If "yes", please note which vendor(s) hold current DBE certification.	*If applicable, provide attachment to bid form*
Other project information to note: Please review listed clauses relevant to this project. Full Terms and conditions can be found at: http://ridedart.com/business-center/contractual_terms_and_conditions	Relevant Clauses (third-party contracting requirement No Federal Government obligations to third parties; For Fraud; Access to Third Party Contract Records; Chang Rights; EEO clause for Construction Projects; DBE (inclusubcontractors); Incorporation of FTA Terms; Copeland ADA; DAVIS BACON	Ise Statements or Claims of Civil and Criminal es to Federal Requirements; Termination; Civil ding Prompt Payment Requirements for all
Insurance Requirements for this Project: (per occurrence) Work Compensation: Statutory Gen. Comp. liability: \$2,000,000 Auto liability: \$1,000,000	The winning contractor shall be required to obtain an Contractor's sole expense, insurance protection as not under said insurance policies. Contractor shall furnish a begin.	ed. DART shall be listed as an additional insured

9. Bidder Information

Name of Bidder	Date of Qua	otation	Name of person Authorized to sign quotation (please type or print)
Street Address	Phone and	email:	Signature
City	State	Zip	Title (type or print)
Annual Gross Receipts of Firm: Less Than \$1,000,000 \$1,000,000 - \$5,000,000 \$5,000,000 - \$8,000,000 \$8,000,000 - \$15,000,000 Over \$15,000,000	Age of Firm:		All materials, equipment, goods and/or services offered meet or exceed the specifications and requirements and will be supplied in accordance with the entire contents of this solicitation including delivery schedules. No relationship exists or will exist during the contract period between the Contractor and DART that interferes with fair competition or constitutes a conflict of interest.



Platform Map:




Project Area Photos with Notes:



Platforms C and D (columns, cross beams, canopy ceilings, canopy supports, etc.) complete coverage. Signs will not be removed.

Platforms A and B (columns, cross beams, canopy ceilings, canopy supports, etc.) spot coverage as needed.



Platforms benches (qty. of 17) Front and Back spot coverage as needed.



Passenger Information Signs (qty. of 6) spot coverage as needed (signs will not be removed).



Middle Island,
Platforms I, K, J, and L
(columns, cross beams,
canopy ceilings, canopy
supports, etc.) spot
coverage as needed.

East Patio "spindles" (qty. of 10) spot coverage as needed.



Long (N/S) Crosswalk
Platform Canopy
(columns, cross beams,
canopy ceilings, canopy
supports, etc.) spot
coverage as needed.

Middle Island,
Platforms E, G, F and H
(columns, cross beams,
canopy ceilings, canopy
supports, etc.) spot
coverage as needed




South Island,
Platforms M and N
(columns, cross
beams, canopy
ceilings, canopy
supports, etc.) spot
coverage as needed.

Long (N/S)
Crosswalk Platform
Canopy (columns,
cross beams,
canopy ceilings,
canopy supports,
etc.) spot coverage
as needed.

South Island, Platform O (columns, cross beams, canopy ceilings, canopy supports, etc.) spot coverage as needed.

*Roof of long Walkway Canopy – Brace/Support Structures to receive spot coverage as needed



"General Decision Number: IA20190071 03/01/2019

Superseded General Decision Number: IA20180142

State: Iowa

Construction Type: Building

County: Polk County in Iowa.

BUILDING CONSTRUCTION PROJECTS (does not include single family homes or apartments up to and including 4 stories).

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.60 for calendar year 2019 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.60 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year 2019. If this contract is covered by the EO and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must pay workers in that classification at least the wage rate determined through the conformance process set forth in 29 CFR 5.5(a)(1)(ii) (or the EO minimum wage rate, if it is higher than the conformed wage rate). The EO minimum wage rate will be adjusted annually. Please note that this EO applies to the above-mentioned types of contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but it does not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60). Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification Number	Publication Date	
0	01/04/2019	
1	01/11/2019	
2	03/01/2019	
BOIL0083-009 01/01/20	17	
	Rates	Fringes
BOILERMAKER	\$ 36.56	29.05
BRIA0003-006 05/01/20	18	
	Rates	Fringes
TILE SETTER	\$ 24.67	10.82
BRIA0003-042 05/01/20	16	
BOONE, DALLAS, JASPER,	MADISON, MARION, POLK,	STORY, AND WARREN
COUNTIES		
	Rates	Fringes
Bricklayer and Stonema	son\$ 30.70	
ELEC0347-002 06/01/20	18	
	Rates	Fringes
ELECTRICIAN (Includes		
	\$ 35.99	
	40	
ELEV0033-002 01/01/20	TA	
	D - 1	Fulling
	Rates	Fringes

ELEVATOR MECHANIC.....\$ 44.83

FOOTNOTES:

A. Employer contributes 8% of regular basic hourly rate as vacation pay credit for employees with more than 5 years of service, and 6% for employees with less than 5 years of service.

33.705+a+b

B. PAID HOLIDAYS: New Year's Day; Memorial Day; Independence Day; Labor Day; Veteran's Day; Thanksgiving Day; Day after Thanksgiving; & Christmas Day.

ENGI0150-045 06/01/2018

	Rates	Fringes
POWER EQUIPMENT OPERATOR (Paver-All Types)		31.85
ENGI0150-046 06/01/2018		
	Rates	Fringes
POWER EQUIPMENT OPERATOR		
(Roller)		31.85
* ENGI0234-008 05/01/2018		

ENGI0234-008 05/01/2018

Ra	tes F	ringes
POWER EQUIPMENT OPERATOR		
Backhoe/Excavator/Trackhoe\$ 2	8.12	16.30
Bulldozer\$ 2	7.83	16.30
Forklift		
moving or hoisting above		
1 complete story\$ 2	7.83	16.30
Other\$ 2	5.93	16.30
Loader		

25/2019		beta.SAM.gov
35 h.p. and over	.\$ 27.83	16.30
under 35 h.p		16.30
IRON0067-003 05/01/2018		
	Rates	Fringes
IRONWORKER (Structural)		
IRON0089-003 05/01/2018		
	Rates	Fringes
IRONWORKER (Ornamental)		
IRON0111-002 07/01/2018		
	Rates	Fringes
IRONWORKER (Reinforcing)		
LABO0177-002 05/01/2016		
	Rates	Fringes
LABORER (Mason Tender - Brick)	.\$ 24.07	
LABO0177-010 05/01/2016		
	Rates	Fringes
LABORER (Common or General)	.\$ 24.12	10.58
PAIN0246-001 05/01/2018		
	Rates	Fringes
PAINTER (Brush and Roller)	.\$ 26.19	12.67
PLAS0021-001 05/01/2018		

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER.	\$ 28.29	16.09
PLUM0033-002 06/01/2017		
	Rates	Fringes
PIPEFITTER (HVAC Pipe Installation Only)	\$ 33.65	19.75
PLUM0033-004 06/01/2017		
	Rates	Fringes
PLUMBER	\$ 33.65	19.75
ROOF0142-001 06/01/2018		
	Rates	Fringes
ROOFER	\$ 26.54	12.20
SFIA0669-002 04/01/2017		
	Rates	Fringes
SPRINKLER FITTER (Fire Sprinklers)		15.84
SHEE0045-002 08/01/2017		
	Rates	Fringes
SHEET METAL WORKER (Includes HVAC Duct and Unit Installation)	\$ 30.34	19.79
* UAVG-IA-0003 01/01/2019		

https://beta.sam.gov/wage-determination/IA20190071/2/document

		Rates	Fringes
OPERATOR:	Bobcat/Skid		
Steer/Skid	Loader\$	27.61	16.30
SUIA2016-	-046 07/19/2016		

	Rates	Fringes
CARPENTER, Includes Drywall		
Hanging	.\$ 24.93	11.17
DRYWALL FINISHER/TAPER	.\$ 21.25	10.32
INSULATOR: Mechanical (Duct,		
Pipe and Mechanical System		
Insulation)	.\$ 18.17	4.01
LABORER: Pipelayer	.\$ 16.11	0.00
OPERATOR: Crane	.\$ 25.70	9.13
PAINTER: Spray	.\$ 19.77	6.64

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including

preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the

most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of

each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator

(See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION"



FY20-S-001 DCS Exterior Maintenance Painting Pricing Sheet

DART reserves the right to award all or portions of the below project sections

Section Description	Coverage Requirements	Approximate Area	Unit Price (LS)	Quantity	Extended Price
Platforms C and D Canopy (columns, cross beams, canopy supports, etc.)	Complete Coverage	15,000 sq. ft.		1	
Platforms A and B Canopy (columns, cross beams, canopy supports, etc.)	Spot Coverage			1	
Platforms benches (qty. of 17) Front and Back	Spot Coverage	Each		17	
Passenger Information Signs	Spot Coverage	Each		6	
Middle Island, Platforms I, K, J, and L (columns, cross beams, canopy ceilings, canopy supports, etc.)	Spot Coverage			1	
East Patio "Spindles"	Spot Coverage	Each		10	
Long (N/S) Crosswalk Platform Canopy (columns, cross beams, canopy ceilings, canopy supports, etc.)	Spot Coverage			1	
Middle Island, Platforms E, G, F and H (columns, cross beams, canopy ceilings, canopy supports, etc.)	Spot Coverage			1	
South Island, Platforms M and N (columns, cross beams, canopy ceilings, canopy supports, etc.)	Spot Coverage			1	
South Island, Platform O (columns, cross beams, canopy ceilings, canopy supports, etc.)	Spot Coverage			1	
Roof of long Walkway Canopy – Brace/Support Structures	Spot Coverage			1	
Grand Total for Estimate					